


| Weight | Infants' Acetaminophen | | | Children's Acetaminophen |
|------------|-------------------------------|--------------|------------------------------|------------------------------------|
| | Old Concentration via Dropper | | New Concentration | Standard Concentration |
| | (80 mg/0.8 mL) | (80 mg/1 mL) | via Syringe (160 mg/5 mL) | via Measuring Cup (160 mg/5 mL) |
| 6-11 lbs. | 0.4 mL | 0.5 mL | 1.25 mL | |
| 12-17 lbs. | 0.8 mL | 1.0 mL | 2.5 mL | 2.5 mL |
| 18-23 lbs. | 1.2 mL | 1.5 mL | 3.75 mL | 3.75 mL |
| 24-35 lbs. | 1.6 mL | 2.0 mL | 5 mL | 5 mL |
| 36-47 lbs. | | 3.0 mL | | 7.5 mL |
| 48-59 lbs. | | | | 10 mL |
| 60-71 lbs. | | | | 12.5 |
| 72-95 lbs. | | | | 15 mL |
| 96+ lbs. | | | | 20 mL |

Old Infant Dosing Device: Dropper



New Infant Dosing Device: Syringe

5.0 mL 3.75 mL

2.5

mL

1.25 mL

Dosing cup for older children



Indications: Treatment of fever and pain.

Table Notes:

- CAUTION: In May 2011, a move to one standard concentration of liquid acetaminophen medicine for infants and children was announced. Up until this point, there have been mainly 2 concentrations: 80mg/0.8ml (Infant Concentrated Drops) and 160mg/5ml (Children's Liquid Suspension or Syrup). During this transition period, both old and new concentrations of infant acetaminophen may be available on store shelves and in your home. Before selecting a dose, please check your infant package carefully to find the concentration. Then select the dosage according to the correct concentration and child's weight.
- AGE LIMIT: Don't use under 12 weeks of age unless directed by child's doctor. (Reason: Fever during the first 12 weeks of life needs to be documented in a medical setting
 and if present, your infant needs a complete evaluation). EXCEPTION: Fever starting within 24 hours of immunization if child is 8 weeks of age or older. Avoid multi-ingredient
 products in children under 6 years of age (Reason: FDA recommendations 1/2008).
- DOSAGE: Determine by finding child's weight in the top row of the dosage table
- BRAND NAMES: Tylenol, Feverall (suppositories), generic acetaminophen
- FREQUENCY: Repeat every 4-6 hours as needed. Don't give more than 5 times a day.
- ADULT DOSAGE: 650 mg
- MELTAWAYS: Dissolvable tabs that come in 80 mg and 160 mg (jr. strength)
- SUPPOSITORIES: Acetaminophen also comes in 80, 120, 325 and 650 mg suppositories (the rectal dose is the same as the dosage given by mouth).
- EXTENDED-RELEASE: Avoid 650 mg oral products in children (Reason: they are every 8-hour extended-release)